Safety Data Sheet

according to Regulation (EC) No 1907/2006

Contopp - Aerocrete SFS 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Contopp - Aerocrete SFS 4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction preparations not covered elsewhere.

1.3. Details of the supplier of the safety data sheet

Company name:	KNOPP GmbH	
Street:	Adolf - Oesterheld - Straße 1	
Place:	D-97337 DETTELBACH	
Post-office box:	1180 D-97337 DETTELBACH	
Telephone:	+49(0)932491990	Telefax: +49(0)9324919966
e-mail:	info@knopp-chemie.com	
Contact person:	Wolfgang Schnabel	
Internet:	www.knopp-chemie.com	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Serious eye damage/eye irritation: Eye Dam. 1
Hazardous to the aquatic environment: Aquatic Chronic 3
Hazard Statements:
Causes serious eye damage.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard components for labelling

calcium nitrate

Signal word: Danger

Pictograms: GHS05

Hazard statements

H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	GHS Classification	
REACH No		
233-332-1	calcium nitrate	15 - < 20 %
10124-37-5	08-36	
	Acute Tox. 4, Eye Dam. 1; H302 H318	
01-2119495093-		
203-905-0	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	1 - < 5 %
111-76-2	20/21/22-36/38	
603-014-00-0	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319	
500-234-8	Sodium Laureth Sulfate	1 - < 5 %
68891-38-3		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412	
01-2119488639-16		
931-341-1	C12-18 Alkyldimethylaminoxid	< 1 %
68955-55-5		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H315 H318 H400 H410	
01-2119489396-21		

Full text of R, H and EUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Information about storage in one common storage facility:
Materials to avoid: Base.

Further information on storage conditions

Storage class:

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
107-41-5	2-Methylpentane-2,4-diol	25	123		TWA (8 h)	WEL
		25	123		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient , respiratory protection must be worn.

Hand protection

Tested protective gloves are to be worn:
Suitable material: NBR (Nitrile rubber).

Eye protection

Suitable eye protection:
Tightly sealed safety glasses. Eye-shade.

Skin protection

Suitable protective clothing:
Overall. Boots.

Environmental exposure controls

Organisational measures to prevent exposure
Observe the expiry date.

Technical measures to prevent exposure
refer to chapter 7. No further action is necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	white
Odour:	characteristic

		Test method
pH-Value (at 20 °C):	7,5 ± 1	
Changes in the physical state		
Melting point:	90 °C	
Softening point:	No data available	
Flash point:	No data available	
Flammability		
Solid:	No data available	
Gas:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Ignition temperature:	No data available	
Density (at 20 °C):	1,03 g/cm³	
Partition coefficient:	No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when handling and storage.

10.2. Chemical stability

No decomposition if stored and handled correctly.

10.4. Conditions to avoid

Materials to avoid:
Alkalis (alkalis), concentrated.
Acid.

10.6. Hazardous decomposition products

No known dangerous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

No information available.

CAS No	Chemical name				
	Exposure route	Method	Dose	Species	Source
10124-37-5	calcium nitrate				
	oral	LD50	2000 mg/kg	Rat	ECHA
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve				
	oral	LD50	470 mg/kg	Rat	
	dermal	ATE	1100 mg/kg		
	inhalation vapour	ATE	11 mg/l		
	inhalation aerosol	ATE	1,5 mg/l		
68891-38-3	Sodium Laureth Sulfate				
	oral	LD50	7400 mg/kg	Rat	OECD 401
68955-55-5	C12-18 Alkyldimethylaminoxid				
	oral	LD50	846 mg/kg	Rat	OECD 401
	dermal	LD50	>2000 mg/kg	Rat	OECD 402

Specific effects in experiment on an animal

No information available.

Severe effects after repeated or prolonged exposure

No information available.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	h	Species	Source
10124-37-5	calcium nitrate					
	Acute fish toxicity	LC50	1378 mg/l	96 h		
	Acute algae toxicity	ErC50	1700 mg/l	96 h		
	Acute crustacea toxicity	EC50	490 mg/l	48 h		
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve					
	Acute fish toxicity	LC50	1490 mg/l	96 h	Lepomis macrochirus	
68955-55-5	C12-18 Alkyldimethylaminoxid					
	Acute fish toxicity	LC50	1 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50	0,8 mg/l	72 h	Desmodesmus subspicatus	OECD 201
	Acute crustacea toxicity	EC50	1 mg/l	48 h	Daphnia magna	OECD 202

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	0,81 (25°C)

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC). The information about ecology refers to the active component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): 3,725 % (38,368 g/l)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

* Data changed compared with the previous version

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)