

Safety Data Sheet

according to UK REACH Regulation

Contopp Accelerator 10 HD

Revision: 24.02.2026

Product code: 30.350.100

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Contopp Accelerator 10 HD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

accelerated drying screed additive

1.3. Details of the supplier of the safety data sheet

Company name:	KNOPP GmbH	
Street:	Adolf - Oesterheld - Straße 1	
Place:	D-97337 DETTELBACH	
Post-office box:	1180	
	D-97337 DETTELBACH	
Telephone:	+49(0)932491990	Telefax: +49(0)9324919966
E-mail:	info@knopp-chemie.com	
Contact person:	Wolfgang Schnabel	
Internet:	www.knopp-chemie.com	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Special labelling

EUH208 Contains formaldehyde ... %, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Composition/information on ingredients
Mixture of water-soluble resins, and fatty acid soaps.

Safety Data Sheet

according to UK REACH Regulation

Contopp Accelerator 10 HD

Revision: 24.02.2026

Product code: 30.350.100

Page 2 of 6

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
	Melamine Polymer	20 - < 25 %
111-46-6	2,2'-oxybisethanol; diethylene glycol	1 - < 5 %
	203-872-2	603-140-00-6
	Acute Tox. 4; H302	
68891-38-3	Sodium Laureth Sulfate	1 - < 5 %
	500-234-8	01-2119488639-16
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412	
50-00-0	formaldehyde ... %	< 0.1 %
	200-001-8	605-001-00-5
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H331 H311 H301 H314 H317	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.036 %
	220-120-9	613-088-00-6
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-46-6	203-872-2	2,2'-oxybisethanol; diethylene glycol	1 - < 5 %
		dermal: LD50 = 11890 mg/kg; oral: ATE = 500 mg/kg	
68891-38-3	500-234-8	Sodium Laureth Sulfate	1 - < 5 %
		oral: LD50 = 7400 mg/kg	
50-00-0	200-001-8	formaldehyde ... %	< 0.1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Irrit. 2; H319: >= 5 - < 25 Skin Sens. 1; H317: >= 0,2 - 100 STOT SE 3; H335: >= 5 - 100	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.036 %
		inhalation: ATE 0,21 mg/l (dusts or mists); oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Safety Data Sheet

according to UK REACH Regulation

Contopp Accelerator 10 HD

Revision: 24.02.2026

Product code: 30.350.100

Page 3 of 6

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Information about storage in one common storage facility:

Materials to avoid: Base.

Further information on storage conditions

Storage class:

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Suitable eye protection:

Tightly sealed safety glasses. Eye-shade.

Hand protection

Tested protective gloves are to be worn:

Suitable material: NBR (Nitrile rubber).

Skin protection

Suitable protective clothing:

Overall. Boots.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Organisational measures to prevent exposure

Observe the expiry date.

Technical measures to prevent exposure

refer to chapter 7. No further action is necessary.

Safety Data Sheet

according to UK REACH Regulation

Contopp Accelerator 10 HD

Revision: 24.02.2026

Product code: 30.350.100

Page 4 of 6

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: green
 Odour: like: Soap.

Test method

pH-Value (at 20 °C): 8,5

Changes in the physical state

Melting point/freezing point: 0 °C

Boiling point or initial boiling point and boiling range: 100 °C

Softening point:

Flash point: No data available

Flash point: No data available

Flammability

Solid: No data available

Lower explosion limits: No data available

Upper explosion limits: No data available

Auto-ignition temperature: No data available

Density (at 20 °C): 1,14 g/cm³ ISO 758

Water solubility: completely miscible

(at 20 °C)

Partition coefficient n-octanol/water: No data available

Flow time: 12 -18 4 DIN 53211

(at 23 °C)

9.2. Other information

Solid content: 30 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when handling and storage.

10.2. Chemical stability

No decomposition if stored and handled correctly.

10.4. Conditions to avoid

Materials to avoid:

Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

No known dangerous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

No information available.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg

Safety Data Sheet

according to UK REACH Regulation

Contopp Accelerator 10 HD

Revision: 24.02.2026

Product code: 30.350.100

Page 5 of 6

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol				
	oral	ATE 500 mg/kg			
	dermal	LD50 11890 mg/kg	Rabbit		
68891-38-3	Sodium Laureth Sulfate				
	oral	LD50 7400 mg/kg	Rat	OECD 401	
50-00-0	formaldehyde ... %				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE 450 mg/kg			
	inhalation dust/mist	ATE 0,21 mg/l			

Irritation and corrosivity

mild irritant.

Sensitising effects

May cause sensitization by skin contact.

STOT-repeated exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity

EC50: >100 mg/l

Exposure time: 48 h

species: Daphnia magna

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol					
	Acute fish toxicity	LC50 > 32000 mg/l	96 h	Gambusia affinis		

12.2. Persistence and degradability

Method: OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9

< 70 %

Is moderately/partly eliminable from water.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-46-6	2,2'-oxybisethanol; diethylene glycol	-1,98 (25°C)

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to UK REACH Regulation

Contopp Accelerator 10 HD

Revision: 24.02.2026

Product code: 30.350.100

Page 6 of 6

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: 0,05 % (0,57 g/l)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Classification for mixtures and used evaluation method

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains formaldehyde ... %, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)