

according to UK REACH Regulation

Contopp RS 10

Revision date: 08.12.2023

Product code: 30.400.100

KNOPP GmbH

Page 1 of 6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Contopp RS 10

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Building and construction preparations not covered elsewhere. The product is intended for professional use.

## 1.3. Details of the supplier of the safety data sheet

1.5. Details of the supplier of the	e salety data sileet	
Company name:	KNOPP GmbH	
Street:	Adolf - Oesterheld - Straße 1	
Place:	D-97337 DETTELBACH	
Post-office box:	1180	
	D-97337 DETTELBACH	
Telephone:	+49(0)932491990	Telefax: +49(0)9324919966
E-mail:	info@knopp-chemie.com	
Contact person:	Wolfgang Schnabel	
Internet:	www.knopp-chemie.com	
Further Information		

# F

Article No. (user) 20.240 **SECTION 2: Hazards identification** 

# 2.1. Classification of the substance or mixture

**GB CLP Regulation** 

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### **GB CLP Regulation**

### Hazard components for labelling

calcium nitrate Signal word:



H318

Danger



Causes serious eye damage.

### **Precautionary statements**

P280 Wear eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization

Composition/information on ingredients Mixture of water-soluble resins, and fatty acid soaps.

## Hazardous components

CAS No	Chemical name	emical name						
	EC No	EC No Index No REACH No						
	GHS Classification	GHS Classification						
10124-37-5	calcium nitrate			5 - < 10 %				
	233-332-1		01-2119495093-35					
	Acute Tox. 4, Eye Dam. 1; H302 H318							

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

### Contopp RS 10

Revision date: 08.12.2023

### Product code: 30.400.100

Page 2 of 6

KNOPP GmbH

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. Lin	nc. Limits, M-factors and ATE					
10124-37-5	233-332-1	3-332-1 calcium nitrate					
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 2000 mg/kg						

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After indestion

Rinse mouth immediately and drink plenty of water.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

### Usual measures for fire prevention.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

#### Keep container tightly closed.

#### Hints on joint storage

Information about storage in one common storage facility:

Materials to avoid: Base.

- Further information on storage conditions
- Storage class:

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to UK REACH Regulation

Contopp RS 10

Revision date: 08.12.2023

## Product code: 30.400.100

Page 3 of 6

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-41-5	2-Methylpentane-2,4-diol	25	123		TWA (8 h)	WEL
		25	123		STEL (15 min)	WEL

## DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
10124-37-5	calcium nitrate					
,						

## 8.2. Exposure controls

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

## Eye/face protection

Suitable eye protection:

Tightly sealed safety glasses. EN 166

### Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber). EN ISO 374 Thickness of the glove material >0,2 mm Breakthrough time: >30 min

### Skin protection

Only wear fitting, comfortable and clean protective clothing.

### Environmental exposure controls

Organisational measures to prevent exposure Observe the expiry date.

Technical measures to prevent exposure refer to chapter 7. No further action is necessary.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	green opaque
Odour:	like: Soap.

pH-Value (at 20 °C):	4,8	
Changes in the physical state		
Melting point/freezing point:	0°C	
Boiling point or initial boiling point and boiling	100 °C	
range:		
Softening point:	No data available	
Flash point:	No data available	
Flammability		
Solid:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Auto-ignition temperature:	No data available	
Density (at 20 °C):	1,054 g/cm³	ISO 758
Water solubility:	completely miscible	
(at 20 °C)		
Partition coefficient n-octanol/water:	No data available	

Test method



according to UK REACH Regulation

## Contopp RS 10 Product code: 30.400.100

Revision date: 08.12.2023

Page 4 of 6

Flow time: (at 23 °C) Solvent content:

0 %

10 -14 4 DIN 53211

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reactions when handling and storage.

## 10.2. Chemical stability

No decomposition if stored and handled correctly.

#### 10.3. Possibility of hazardous reactions

Materials to avoid:

Alkalis (alkalis), concentrated.

## 10.4. Conditions to avoid

Materials to avoid: Alkalis (alkalis), concentrated.

## 10.5. Incompatible materials

Materials to avoid:

Alkalis (alkalis), concentrated.

#### 10.6. Hazardous decomposition products

No known dangerous decomposition products.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

### Acute toxicity

No information available.

### ATEmix calculated

ATE (oral) 35651 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
10124-37-5	calcium nitrate	alcium nitrate							
	oral	LD50 mg/kg	2000	Rat	ECHA				
	dermal	LD50 mg/kg	>2000	Rat	ECHA				

#### Irritation and corrosivity

mild irritant.

#### Sensitising effects

No information available.

STOT-repeated exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Aquatic toxicity EC50: >100 mg/l Exposure time: 48 h species: Daphnia magna



according to UK REACH Regulation

#### Contopp RS 10

Revision date: 08.12.2023

Product code: 30.400.100

Page 5 of 6

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
10124-37-5	calcium nitrate								
	Acute fish toxicity	LC50	1378 mg/l	96 h					
	Acute algae toxicity	ErC50	1700 mg/l	96 h					
	Acute crustacea toxicity	EC50	490 mg/l	48 h					
	Acute bacteria toxicity	EC50	490 mg/l (	0 h					
		)		1			1		

### 12.2. Persistence and degradability

Method: OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9

< 70 %

Is moderately/partly eliminable from water.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**Disposal recommendations** 

Return IBCs to supplier.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - contaminated packaging

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics; wastes not otherwise specified

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

#### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

#### Other applicable information

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

#### **SECTION 16: Other information**

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

Harmful if swallowed.

Causes serious eye damage.

#### **Further Information**

H302

H318

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety

# s from the MFSU of fats, g specified



according to UK REACH Regulation

Contopp RS 10

Revision date: 08.12.2023

Product code: 30.400.100

Page 6 of 6

data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.

## Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification	
	Building and construction preparations not covered elsewhere	IS	19	9b	19	5	4g	32, 39		
LCS: L	LCS: Life cycle stages SU: Sectors of use									
PC: Pr	PC: Product categories					PROC: Process categories				
ERC: Environmental release categories				A	AC: Article categories					
TF: Te	TF: Technical functions									

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)