

according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10

Print date: 10.12.2020 Product code: 35.411.100 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Contopp - Cleaner 10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction preparations not covered elsewhere.

1.3. Details of the supplier of the safety data sheet

Company name: KNOPP GmbH

Street: Adolf - Oesterheld - Straße 1
Place: D-97337 DETTELBACH

Post-office box: 1180

D-97337 DETTELBACH

Telephone: +49(0)932491990 Telefax: +49(0)9324919966

e-mail: info@knopp-chemie.com

Contact person: Wolfgang Schnabel

Internet: www.knopp-chemie.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Hazard components for labelling

Phosphoric acid 85 %; orthophosphoric acid

Acetic acid 98 %

Signal word: Danger Pictograms: GHS05



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10

Print date: 10.12.2020 Product code: 35.411.100 Page 2 of 7

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

P310

Chemical characterization

*Composition/information on ingredients

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	GHS Classification	
REACH No		
231-633-2	Phosphoric acid 85 %; orthophosphoric acid	80 - < 85 %
7664-38-2	34	
015-011-00-6	Skin Corr. 1B; H314	
01-2119485924-24		
200-580-7	Acetic acid 98 %	10 - < 15 %
64-19-7	10-35	
	Flam. Liq. 3, Skin Corr. 1A; H226 H314	
01-2119475328-30		
203-905-0	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	10 - < 15 %
111-76-2	20/21/22-36/38	
603-014-00-0	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319	

Full text of R, H and EUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Hazards identification: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10

Print date: 10.12.2020 Product code: 35.411.100 Page 3 of 7

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

The product needs to apply neutralizing agents before draining to wastewater treatment plants. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Information about storage in one common storage facility:

Materials to avoid: Base.

Further information on storage conditions

Storage class:

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Page 4 of 7

according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10
Product code: 35.411.100

Exposure limits (EH40)

Print date: 10.12.2020

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
64-19-7	Acetic acid	10	25		TWA (8 h)	WEL
		20	50		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

8.2. Exposure controls

Occupational exposure controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Hand protection

Tested protective gloves are to be worn:

Suitable material: NBR (Nitrile rubber).

Eye protection

Suitable eye protection:

Tightly sealed safety glasses. Eye-shade.

Skin protection

Suitable protective clothing:

Overall. Boots.

Environmental exposure controls

Organisational measures to prevent exposure

Observe the expiry date.

Technical measures to prevent exposure refer to chapter 7. No further action is necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: transparent
Odour: like: Acetic acid

Test method

pH-Value (at 20 °C):



according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10

Print date: 10.12.2020 Product code: 35.411.100 Page 5 of 7

Changes in the physical state

Melting point: $0\,^{\circ}\text{C}$ Initial boiling point and boiling range: $213\,^{\circ}\text{C}$ Softening point: No data available

Flammability

Solid: No data available
Gas: No data available
Ignition temperature: No data available

Density (at 20 °C): 1,4 g/cm³ ISO 758

Water solubility: completely miscible

(at 20 °C)

Partition coefficient: No data available

Flow time: 10 -14 4 DIN 53211

(at 23 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when handling and storage.

10.2. Chemical stability

No decomposition if stored and handled correctly.

10.4. Conditions to avoid

Materials to avoid:

Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

No known dangerous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

No information available.

CAS No	Chemical name						
	Exposure route	Method	Dose	Species	Source		
64-19-7	Acetic acid 98 %						
	oral	LD50	3310 mg/kg	Rat	GESTIS		
111-76-2	11-76-2 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve						
	oral	LD50	470 mg/kg	Rat			
	dermal	ATE	1100 mg/kg				
	inhalation vapour	ATE	11 mg/l				
	inhalation aerosol	ATE	1,5 mg/l				

Specific effects in experiment on an animal

No information available.

Irritation and corrosivity

after ingestion: Irritation and etching. Hazards identification: Stomach perforation. mild irritant.



according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10

Print date: 10.12.2020 Product code: 35.411.100 Page 6 of 7

Sensitising effects

May cause sensitization by skin contact.

Severe effects after repeated or prolonged exposure

No information available.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity EC50: >100 mg/l Exposure time: 48 h species: Daphnia magna

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	h	Species	Source		
7664-38-2	Phosphoric acid 85 %; orthophosphoric acid							
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis			
64-19-7	Acetic acid 98 %							
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al		
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve							
	Acute fish toxicity	LC50	1490 mg/l	96 h	Lepomis macrochirus			

12.2. Persistence and degradability

Method: OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9

< 70 %

Is moderately/partly eliminable from water.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	Acetic acid 98 %	-0,17
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	0,81 (25°C)

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.



according to Regulation (EC) No 1907/2006

Contopp - Cleaner 10

Print date: 10.12.2020 Product code: 35.411.100 Page 7 of 7

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): 10 % (105,4 g/l)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Relevant R phrases (number and full text)

34 Causes burns.

Relevant H and EUH statements (number and full text)

H226	Fiammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

^{*} Data changed compared with the previous version