

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Fasercompound Duremit

Revision: 24.02.2026

Product code: 35.608.100

Page 1 of 6

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Contopp Fasercompound Duremit

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Building and construction work.

Building and construction preparations not covered elsewhere.

### 1.3. Details of the supplier of the safety data sheet

Company name: KNOPP GmbH.  
Street: Adolf - Oesterheld - Str. 1  
Place: D-97337 Dettelbach  
Telephone: +49932491990  
E-mail: info@knopp-chemie.com  
Contact person: Wolfgang Schnabel  
Internet: www.knopp-chemie.com

Telefax: +499324919966

### 1.4. Emergency telephone number:

Tox Info Suisse Tel.: 145  
Giftnotruf Berlin (24 h): 030 30686700

### Further Information

Article no.: 20.908.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

aqueous mixture of polycarboxylate and safe adjuvants

#### Hazardous components

| CAS No     | Chemical name                                                                                                                                |              |                  | Quantity  |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|-----------|
|            | EC No                                                                                                                                        | Index No     | REACH No         |           |
|            | GHS Classification                                                                                                                           |              |                  |           |
| 68891-38-3 | Sodium Laureth Sulfate                                                                                                                       |              |                  | < 0.1 %   |
|            | 500-234-8                                                                                                                                    |              | 01-2119488639-16 |           |
|            | Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412                                                                                 |              |                  |           |
| 2634-33-5  | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one                                                                                     |              |                  | < 0.036 % |
|            | 220-120-9                                                                                                                                    | 613-088-00-6 |                  |           |
|            | Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410 |              |                  |           |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No                                                                                                                                                             | Chemical name                                            | Quantity  |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------|
|            | Specific Conc. Limits, M-factors and ATE                                                                                                                          |                                                          |           |
| 68891-38-3 | 500-234-8                                                                                                                                                         | Sodium Laureth Sulfate                                   | < 0.1 %   |
|            | oral: LD50 = 7400 mg/kg                                                                                                                                           |                                                          |           |
| 2634-33-5  | 220-120-9                                                                                                                                                         | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | < 0.036 % |
|            | inhalation: ATE 0,21 mg/l (dusts or mists); oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100<br>Aquatic Acute 1; H400: M=1<br>Aquatic Chronic 1; H410: M=1 |                                                          |           |

## SECTION 4: First aid measures

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Fasercompound Duremit

Revision: 24.02.2026

Product code: 35.608.100

Page 2 of 6

#### **4.1. Description of first aid measures**

##### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.  
Never give anything by mouth to an unconscious person or a person with cramps.  
If unconscious but breathing normally, place in recovery position and seek medical advice.

##### **After inhalation**

Provide fresh air. Remove casualty to fresh air and keep warm and at rest.  
In case of irregular breathing or respiratory arrest provide artificial respiration.

##### **After contact with skin**

Wash with plenty of water. Change contaminated clothing.  
Wash with plenty of water/?.  
Do not wash with: Solvent/Thinner.

##### **After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

##### **After ingestion**

Rinse mouth immediately and drink plenty of water. If swallowed, rinse mouth with water (only if the person is conscious).  
Call a physician immediately.  
Put victim at rest, cover with a blanket and keep warm.  
Do NOT induce vomiting.  
Caution if victim vomits: Risk of aspiration!

#### **SECTION 5: Firefighting measures**

##### **5.1. Extinguishing media**

###### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam. Carbon dioxide. Powder. Water fog.

###### **Unsuitable extinguishing media**

High power water jet.

##### **5.2. Special hazards arising from the substance or mixture**

The product itself does not burn. Burning produces heavy smoke.  
Danger of serious damage to health by prolonged exposure.  
Use appropriate respiratory protection.

##### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.  
Do not allow water used to extinguish fire to enter drains or waterways.

##### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

##### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid breathing dust/fume/gas/mist/vapours/spray.  
See protective measures under point 7 and 8.

##### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

##### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Collect in closed containers for disposal.  
Clean with detergents. Avoid solvent cleaners.

#### **SECTION 7: Handling and storage**

##### **7.1. Precautions for safe handling**

###### **Advice on safe handling**

Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Wear personal protection equipment.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

# Safety Data Sheet

according to UK REACH Regulation

## Contopp Fasercompound Duremit

Revision: 24.02.2026

Product code: 35.608.100

Page 3 of 6

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

Do not store together with: Oxidizing agents. Strong acid, strong alkalis

#### Further information on storage conditions

storage temperature: +5 - +30 °C

Keep container tightly closed and in a well-ventilated place. Keep container dry.

When using do not smoke.

Access is only to be granted to authorised personal.

Always close containers tightly after the removal of product.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

| CAS No   | Substance                | ppm | mg/m³ | fibres/ml | Category      | Origin |
|----------|--------------------------|-----|-------|-----------|---------------|--------|
| 111-46-6 | 2,2'-Oxydiethanol        | 23  | 101   |           | TWA (8 h)     | WEL    |
| 107-41-5 | 2-Methylpentane-2,4-diol | 25  | 123   |           | TWA (8 h)     | WEL    |
|          |                          | 25  | 123   |           | STEL (15 min) | WEL    |
| 50-00-0  | Formaldehyde             | 2   | 2.5   |           | TWA (8 h)     | WEL    |
|          |                          | 2   | 2.5   |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Suitable material:

In case of prolonged or frequently repeated skin contact: NBR (Nitrile rubber).

penetration time (maximum wearing period): 0,5 h

See information supplied by the manufacturer.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

#### Skin protection

not applicable

#### Respiratory protection

not applicable

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Paste  
 Colour: white - beige  
 Odour: characteristic

#### Test method

pH-Value (at 20 °C): 7,0

#### Changes in the physical state

Melting point/freezing point: 0 °C

Boiling point or initial boiling point and boiling range: 100 °C

Flash point: No data available DIN 53213

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Fasercompound Duremit

Revision: 24.02.2026

Product code: 35.608.100

Page 4 of 6

#### Flammability

Solid: not applicable

#### Explosive properties

not relevant

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature:

not applicable

#### Self-ignition temperature

Solid: not relevant

Gas: not relevant

#### Oxidizing properties

Not oxidizing.

Vapour pressure:

No data available

Density (at 20 °C):

1,06 g/cm³ DIN 53217

Bulk density:

not applicable

Water solubility:

completely miscible

Flow time:

10 - 15 4 DIN 53211

(at 23 °C)

Solvent separation test:

<3 % (ADR/RID)

#### 9.2. Other information

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No hazardous reactions when handling and storage.

##### 10.2. Chemical stability

No decomposition if stored and handled correctly.

##### 10.3. Possibility of hazardous reactions

Exothermic reactions with: Oxidizing agents. Strong acid, strong alkalis

##### 10.4. Conditions to avoid

In case of warming: Thermal decomposition.

##### 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide. Nitrogen oxides (NOx).

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

Acute toxicity, oral

LD50: > 2000 mg/kg

OECD 401

species: Rat.

###### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

| CAS No     | Chemical name                                            |                 |         |          |        |
|------------|----------------------------------------------------------|-----------------|---------|----------|--------|
|            | Exposure route                                           | Dose            | Species | Source   | Method |
| 68891-38-3 | Sodium Laureth Sulfate                                   |                 |         |          |        |
|            | oral                                                     | LD50 7400 mg/kg | Rat     | OECD 401 |        |
| 2634-33-5  | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one |                 |         |          |        |
|            | oral                                                     | ATE 450 mg/kg   |         |          |        |
|            | inhalation dust/mist                                     | ATE 0,21 mg/l   |         |          |        |

###### Irritation and corrosivity

Irritant effect on the eye: Not an irritant.

species: Rabbit.

Method: OECD 405

###### Sensitising effects

species: Guinea-pig.

Method: OECD 406.

Evaluation: no danger of sensitization.

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Fasercompound Duremit

Revision: 24.02.2026

Product code: 35.608.100

Page 5 of 6

#### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

#### Further information

There are no data available on the preparation/mixture itself.

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Data apply to technical substance.

## SECTION 12: Ecological information

### 12.1. Toxicity

Aquatic toxicity

EC50:

Exposure time: 48 h

species: *Pseudomonas putida*

> 10000 mg/kg

EC50:

Exposure time: 48 h

species: *Daphnia magna*

> 200 mg/l

LC50:

Exposure time: 96 h

species: *Danio rerio* (zebrafish)

> 1000 mg/l

### 12.2. Persistence and degradability

> 70 %

OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9

### 12.3. Bioaccumulative potential

No information available.

#### Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC). There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

The information about ecology refers to the active component.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Remove according to the regulations.

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled. Completely emptied packages can be recycled.

Remove according to the regulations.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

#### Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

#### Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

## Safety Data Sheet

according to UK REACH Regulation

### Contopp Fasercompound Duremit

Revision: 24.02.2026

Product code: 35.608.100

Page 6 of 6

#### Marine transport (IMDG)

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

#### Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

#### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

##### National regulatory information

Water hazard class (D): 3 - highly hazardous to water

### SECTION 16: Other information

#### Changes

\* Data changed compared with the previous version.

#### Relevant H and EUH statements (number and full text)

|        |                                                                                                      |
|--------|------------------------------------------------------------------------------------------------------|
| H302   | Harmful if swallowed.                                                                                |
| H315   | Causes skin irritation.                                                                              |
| H317   | May cause an allergic skin reaction.                                                                 |
| H318   | Causes serious eye damage.                                                                           |
| H330   | Fatal if inhaled.                                                                                    |
| H400   | Very toxic to aquatic life.                                                                          |
| H410   | Very toxic to aquatic life with long lasting effects.                                                |
| H412   | Harmful to aquatic life with long lasting effects.                                                   |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.                                                              |

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*