

Safety Data Sheet

according to UK REACH Regulation

Contopp Screed Mix 10

Revision: 24.02.2026

Product code: 30.100.100

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Contopp Screed Mix 10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction preparations not covered elsewhere
The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	KNOPP GmbH	
Street:	Adolf - Oesterheld - Straße 1	
Place:	D-97337 DETTELACH	
Post-office box:	1180	
	D-97337 DETTELACH	
Telephone:	+49(0)932491990	Telefax: +49(0)9324919966
E-mail:	info@knopp-chemie.com	
Contact person:	Wolfgang Schnabel	
Internet:	www.knopp-chemie.com	

Further Information

Article No. (user) : 20 110 *

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves and eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Composition/information on ingredients
Mixture of water-soluble resins, and fatty acid soaps.

Safety Data Sheet

according to UK REACH Regulation

Contopp Screed Mix 10

Revision: 24.02.2026

Product code: 30.100.100

Page 2 of 6

Hazardous components

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	GHS Classification	
68891-38-3	Sodium Laureth Sulfate	1 - 10 %
	500-234-8 01-2119488639-16	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412	
68955-55-5	C12-18 Alkyldimethylaminoxid	< 1 %
	931-341-1 01-2119489396-21	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H302 H315 H318 H400 H411	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.036 %
	220-120-9 613-088-00-6	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
68891-38-3	500-234-8	Sodium Laureth Sulfate	1 - 10 %
		oral: LD50 = 7400 mg/kg	
68955-55-5	931-341-1	C12-18 Alkyldimethylaminoxid	< 1 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = 846 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.036 %
		inhalation: ATE 0,21 mg/l (dusts or mists); oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

Safety Data Sheet

according to UK REACH Regulation

Contopp Screed Mix 10

Revision: 24.02.2026

Product code: 30.100.100

Page 3 of 6

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Information about storage in one common storage facility:

Materials to avoid: Base.

Further information on storage conditions

Storage class:

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Suitable eye protection:

Tightly sealed safety glasses. EN 166

Hand protection

Tested protective gloves are to be worn:

Suitable material:

NBR (Nitrile rubber).

EN ISO 374

Thickness of the glove material >0,4 mm

Breakthrough time: >30 min

Skin protection

Only wear fitting, comfortable and clean protective clothing.

Environmental exposure controls

Organisational measures to prevent exposure

Observe the expiry date.

Technical measures to prevent exposure

refer to chapter 7. No further action is necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	red
Odour:	like: Soap.

Test method

pH-Value (at 20 °C):	10,5
----------------------	------

Changes in the physical state

Melting point/freezing point:	0 °C
-------------------------------	------

Boiling point or initial boiling point and boiling range:	100 °C
---	--------

Softening point:	No data available
------------------	-------------------

Safety Data Sheet

according to UK REACH Regulation

Contopp Screed Mix 10

Revision: 24.02.2026

Product code: 30.100.100

Page 4 of 6

Flash point:	No data available
Flammability	
Solid:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Auto-ignition temperature:	No data available
Density (at 20 °C):	1,0 g/cm ³ ISO 758
Water solubility: (at 20 °C)	completely miscible
Partition coefficient n-octanol/water:	No data available
Flow time: (at 23 °C)	10 -14 4 DIN 53211

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when handling and storage.

10.2. Chemical stability

No decomposition if stored and handled correctly.

10.4. Conditions to avoid

Materials to avoid:

Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

No known dangerous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

No information available.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68891-38-3	Sodium Laureth Sulfate				
	oral	LD50 7400 mg/kg	Rat	OECD 401	
68955-55-5	C12-18 Alkyldimethylaminoxid				
	oral	LD50 846 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rat	OECD 402	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE 450 mg/kg			
	inhalation dust/mist	ATE 0,21 mg/l			

Irritation and corrosivity

mild irritant.

Sensitising effects

May cause sensitization by skin contact.

STOT-repeated exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity

EC50: >100 mg/l

Safety Data Sheet

according to UK REACH Regulation

Contopp Screed Mix 10

Revision: 24.02.2026

Product code: 30.100.100

Page 5 of 6

Exposure time: 48 h
species: Daphnia magna

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68955-55-5	C12-18 Alkyldimethylaminoxid					
	Acute fish toxicity	LC50	1 mg/l	96 h	Danio rerio (zebrafish)	OECD 203
	Acute algae toxicity	ErC50	0,8 mg/l	72 h	Desmodesmus subspicatus	OECD 201
	Acute crustacea toxicity	EC50	1 mg/l	48 h	Daphnia magna	OECD 202

12.2. Persistence and degradability

Method: OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9

< 70 %

Is moderately/partly eliminable from water.

12.3. Bioaccumulative potential

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Return IBCs to supplier.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - contaminated packaging

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

* Data changed compared with the previous version.

Classification for mixtures and used evaluation method

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H315 Causes skin irritation.

Safety Data Sheet

according to UK REACH Regulation

Contopp Screed Mix 10

Revision: 24.02.2026

Product code: 30.100.100

Page 6 of 6

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)