

according to Regulation (EC) No 1907/2006

# **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Contopp - Fibercompound Duremit hydro

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction work.

Building and construction preparations not covered elsewhere.

1.3. Details of the supplier of the safety data sheet

Company name: KNOPP GmbH.

Street: Adolf - Oesterheld - Str. 1
Place: D-97337 Dettelbach

Telephone: +49932491990 Telefax: +499324919966

e-mail: info@knopp-chemie.com
Contact person: Wolfgang Schnabel
Internet: www.knopp-chemie.com

1.4. Emergency telephone Tox Info Suisse Tel.: 145

**number:** Giftnotruf Berlin (24 h): 030 30686700

**Further Information** 

Article no.: 20.906.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

## 2.2. Label elements

### Special labelling of certain mixtures

EUH208 Contains 2-Methyl-2H-isothiazo-3-on (> 15 ppm); 1,2-Benzisothiazol-3(2H)-on;. May

produce an allergic reaction.

EUH210 Safety data sheet available on request.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

aqueous mixture of polycarboxylate and safe adjuvants

### **Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	GHS Classification	
REACH No		
500-234-8	Sodium Laureth Sulfate	< 0.1 %
68891-38-3		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412	
01-2119488639-16		

Full text of R, H and EUH phrases: see section 16.



according to Regulation (EC) No 1907/2006

# **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 2 of 7

## **Further Information**

\*Preparation related information

Polymer preparations and compounds: The substance does not need registration in accordance with REACH, Annex IV and V.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### After contact with skin

Change contaminated clothing.

Wash with plenty of water/.?.

Do not wash with: Solvent/Thinner.

### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam. Carbon dioxide. Powder. Water fog.

# Extinguishing media which must not be used for safety reasons

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

### 5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Do not allow water used to extinguish fire to enter drains or waterways.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray.

See protective measures under point 7 and 8.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



according to Regulation (EC) No 1907/2006

# **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 3 of 7

### 6.3. Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed containers for disposal.

Clean with detergents. Avoid solvent cleaners.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Wear personal protection equipment.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Hints on joint storage

Do not store together with: Oxidizing agents. Strong acid, strong alkalis

#### Further information on storage conditions

storage temperature: +5 - +30 °C

Keep container tightly closed and in a well-ventilated place. Keep container dry.

When using do not smoke.

Access is only to be granted to authorised personal.

Always close containers tightly after the removal of product.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL
107-41-5	2-Methylpentane-2,4-diol	25	123		TWA (8 h)	WEL
		25	123		STEL (15 min)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

# 8.2. Exposure controls

#### Occupational exposure controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

### Respiratory protection

not applicable

## **Hand protection**

Suitable material:

In case of prolonged or frequently repeated skin contact: NBR (Nitrile rubber).

penetration time (maximum wearing period): 0,5 h

See information supplied by the manufacturer.



according to Regulation (EC) No 1907/2006

# **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 4 of 7

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Eye protection

Wear eye/face protection.

Skin protection

not applicable

**Environmental exposure controls** 

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: white

Odour: characteristic

Test method

pH-Value (at 20 °C): 7,0

Changes in the physical state

Melting point: 0 °C Initial boiling point and boiling range: 100 °C

Flash point: No data available DIN 53213

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not relevant

Lower explosion limits: Upper explosion limits:

Ignition temperature: not applicable

**Auto-ignition temperature** 

Solid: not relevant
Gas: not relevant

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: No data available

Density (at 20 °C): 1,04 g/cm³ DIN 53217

Bulk density: not applicable Water solubility: completely miscible

Flow time: 10 - 15 4 DIN 53211

(at 23 °C)

Solvent separation test: <3 % (ADR/RID)

## 9.2. Other information

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reactions when handling and storage.



according to Regulation (EC) No 1907/2006

## **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 5 of 7

### 10.2. Chemical stability

No decomposition if stored and handled correctly.

# 10.3. Possibility of hazardous reactions

Exothermic reactions with: Oxidizing agents. Strong acid, strong alkalis

## 10.4. Conditions to avoid

In case of warming: Thermal decomposition.

# 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide. Nitrogen oxides (NOx).

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

## **Acute toxicity**

Acute toxicity, oral LD50: > 2000 mg/kg

OECD 401 species: Rat.

CAS No	Chemical name							
	Exposure route	Method	Dose	Species	Source			
68891-38-3	Sodium Laureth Sulfate							
	oral	LD50	7400 mg/kg	Rat	OECD 401			

## Irritation and corrosivity

Irritant effect on the eye: Not an irritant.

species: Rabbit. Method: OECD 405

## Sensitising effects

species: Guinea-pig. Method: OECD 406.

Evaluation: no danger of sensitization.

### **Further information**

There are no data available on the preparation/mixture itself.

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Data apply to technical substance.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Aquatic toxicity

EC50:

Exposure time: 48 h

species: Pseudomonas putida

> 10000 mg/kg

EC50:

Exposure time: 48 h species: Daphnia magna

> 200 mg/l

LC50:

Exposure time: 96 h

species: Brachydanio rerio (zebra-fish)



according to Regulation (EC) No 1907/2006

## **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 6 of 7

> 1000 mg/l

# 12.2. Persistence and degradability

> 70 %

OECD 302B / ISO 9888 / EEC 88/302 annex V. C.9

#### 12.3. Bioaccumulative potential

No information available.

### **Further information**

There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

The information about ecology refers to the active component.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains.

Remove according to the regulations.

### Contaminated packaging

Completely emptied packages can be recycled.

Remove according to the regulations.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number: -

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group: -

### Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

<u>14.1. UN number:</u> -

14.2. UN proper shipping name:
14.3. Transport hazard class(es):

14.4. Packing group:

Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<u>14.1. UN number:</u> -

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

# Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:



according to Regulation (EC) No 1907/2006

## **Contopp - Fibercompound Duremit hydro**

Print date: 10.12.2020 Product code: 25.608.100 Page 7 of 7

14.3. Transport hazard class(es):

14.4. Packing group:

Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: NO

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

## **SECTION 16: Other information**

#### Changes

\* Data changed compared with the previous version

#### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains 2-Methyl-2H-isothiazo-3-on (> 15 ppm); 1,2-Benzisothiazol-3(2H)-on;. May

produce an allergic reaction.

EUH210 Safety data sheet available on request.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

<sup>\*</sup> Data changed compared with the previous version