

## Safety Data Sheet

according to UK REACH Regulation

### Contopp - Flowplus IL

Revision date: 25.04.2024

Product code: 31.747.100

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Contopp - Flowplus IL

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Building and construction work.

Building and construction preparations not covered elsewhere.

### 1.3. Details of the supplier of the safety data sheet

Company name:	KNOPP GmbH	
Street:	Adolf - Oesterheld - Straße 1	
Place:	D-97337 DETTELACH	
Post-office box:	1180	
	D-97337 DETTELACH	
Telephone:	+49(0)932491990	Telefax: +49(0)9324919966
E-mail:	info@knopp-chemie.com	
Contact person:	Wolfgang Schnabel	
Internet:	www.knopp-chemie.com	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

Signal word: Warning

Pictograms:



#### Hazard statements

H315+H319 Causes skin irritation and serious eye irritation.

#### Precautionary statements

P280	Wear protective gloves and eye protection/face protection.
P264	Wash hands thoroughly after handling.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

polycarboxylatether

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
107-41-5	2-methylpentane-2,4-diol			65 - < 70 %
	203-489-0	603-053-00-3	01-2119539582-35	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to UK REACH Regulation

**Contopp - Flowplus IL**

Revision date: 25.04.2024

Product code: 31.747.100

Page 2 of 7

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
107-41-5	203-489-0	2-methylpentane-2,4-diol	65 - < 70 %
		dermal: LD50 = 8000 mg/kg; oral: LD50 = 3700 mg/kg	

**Further Information**

\*Preparation related information

Polymer preparations and compounds: The substance does not need registration in accordance with REACH, Annex IV and V.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

**After inhalation**

Provide fresh air. Remove casualty to fresh air and keep warm and at rest.

In case of irregular breathing or respiratory arrest provide artificial respiration.

**After contact with skin**

Wash with plenty of water. Change contaminated clothing.

Wash with plenty of water/?.

Do not wash with: Solvent/Thinner.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**After ingestion**

Rinse mouth immediately and drink plenty of water. If swallowed, rinse mouth with water (only if the person is conscious).

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

Caution if victim vomits: Risk of aspiration!

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam. Carbon dioxide. Powder. Water fog.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

The product itself does not burn. Burning produces heavy smoke.

Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Do not allow water used to extinguish fire to enter drains or waterways.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

See protective measures under point 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## Safety Data Sheet

according to UK REACH Regulation

### Contopp - Flowplus IL

Revision date: 25.04.2024

Product code: 31.747.100

Page 3 of 7

Collect in closed containers for disposal.  
Clean with detergents. Avoid solvent cleaners.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Wear personal protection equipment.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

Do not store together with: Oxidizing agents. Strong acid, strong alkalis

#### Further information on storage conditions

storage temperature: +5 - +30 °C

Keep container tightly closed and in a well-ventilated place. Keep container dry.

When using do not smoke.

Access is only to be granted to authorised personal.

Always close containers tightly after the removal of product.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-41-5	2-Methylpentane-2,4-diol	25	123		TWA (8 h)	WEL
		25	123		STEL (15 min)	WEL
57-50-1	Sucrose	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Suitable material:

In case of prolonged or frequently repeated skin contact: NBR (Nitrile rubber).

penetration time (maximum wearing period): 0,5 h

See information supplied by the manufacturer.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

#### Skin protection

not applicable

#### Respiratory protection

not applicable

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid

## Safety Data Sheet

according to UK REACH Regulation

### Contopp - Flowplus IL

Revision date: 25.04.2024

Product code: 31.747.100

Page 4 of 7

Colour: orange brown  
Odour: characteristic

#### Test method

pH-Value (at 20 °C): 7,0

#### Changes in the physical state

Melting point/freezing point: 0 °C

Boiling point or initial boiling point and boiling range: 100 °C

Flash point: DIN 53213

#### Flammability

Solid: not applicable

#### Explosive properties

not relevant

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature: not applicable

#### Self-ignition temperature

Solid: not relevant

Gas: not relevant

#### Oxidizing properties

Not oxidizing.

Density (at 20 °C): 0,97 g/cm<sup>3</sup> DIN 53217

Bulk density: not applicable

Water solubility: completely miscible

### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reactions when handling and storage.

#### 10.2. Chemical stability

No decomposition if stored and handled correctly.

#### 10.3. Possibility of hazardous reactions

Exothermic reactions with: Oxidizing agents. Strong acid, strong alkalis

#### 10.4. Conditions to avoid

In case of warming: Thermal decomposition.

#### 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide. Nitrogen oxides (NO<sub>x</sub>).

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Acute toxicity, oral

LD50: > 5000 mg/kg

OECD 401

species: Rat.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
107-41-5	2-methylpentane-2,4-diol				
	oral	LD50 mg/kg	3700	Rat	
	dermal	LD50 mg/kg	8000	Rabbit	

#### Irritation and corrosivity

## Safety Data Sheet

according to UK REACH Regulation

### Contopp - Flowplus IL

Revision date: 25.04.2024

Product code: 31.747.100

Page 5 of 7

Irritant effect on the eye: Not an irritant.

species: Rabbit.

Method: OECD 405

#### Sensitising effects

species: Guinea-pig.

Method: OECD 406.

Evaluation: no danger of sensitization.

#### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

#### Further information

There are no data available on the preparation/mixture itself.

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Data apply to technical substance.

## SECTION 12: Ecological information

### 12.1. Toxicity

Aquatic toxicity

EC10:

species: Pseudomonas putida

1800 mg/l

LC50:

Exposure time: 48 h

species: Leuciscus idus (golden orfe)

> 560 mg/l

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
107-41-5	2-methylpentane-2,4-diol					
	Acute fish toxicity	LC50	8510 mg/l	96 h	Gambusia affinis	
	Acute crustacea toxicity	EC50	3200 mg/l	48 h	Daphnia magna	

### 12.2. Persistence and degradability

> 70 %

OECD 302B / ISO 9888 / EEC 88/302 annex V, C.9

### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-41-5	2-methylpentane-2,4-diol	0,58

#### Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC). There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

The information about ecology refers to the active component.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Remove according to the regulations.

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled. Completely emptied packages can be recycled.

Remove according to the regulations.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

## Safety Data Sheet

according to UK REACH Regulation

### Contopp - Flowplus IL

Revision date: 25.04.2024

Product code: 31.747.100

Page 6 of 7

#### 14.4. Packing group:

-

#### Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

##### 14.1. UN number:

-

##### 14.2. UN proper shipping name:

-

##### 14.3. Transport hazard class(es):

-

##### 14.4. Packing group:

-

#### Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

##### 14.1. UN number:

-

##### 14.2. UN proper shipping name:

-

##### 14.3. Transport hazard class(es):

-

##### 14.4. Packing group:

-

#### Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

##### 14.1. UN number:

-

##### 14.2. UN proper shipping name:

-

##### 14.3. Transport hazard class(es):

-

##### 14.4. Packing group:

-

#### Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

##### Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

##### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### SECTION 16: Other information

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.  
H315+H319 Causes skin irritation and serious eye irritation.  
H319 Causes serious eye irritation.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version.

**Safety Data Sheet**

according to UK REACH Regulation

**Contopp - Flowplus IL**

Revision date: 25.04.2024

Product code: 31.747.100

Page 7 of 7

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*