

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Systopp -Floorguard EP 1 (resin)

Print date: 19.03.2020

Product code: 43.900.100

Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Systopp -Floorguard EP 1 (resin)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Building and construction work.  
Coatings and paints, fillers, putties, thinners

The product is intended for professional use.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	KNOPP GmbH.	
Street:	Adolf - Oesterheld - Str. 1	
Place:	D-97337 Dettelbach	
Telephone:	+49932491990	Telefax: +499324919966
e-mail:	info@knopp-chemie.com	
Internet:	www.knopp-chemie.com	

#### 1.4. Emergency telephone number:

Tox Info Suisse Tel.: 145  
Giftnotruf Berlin (24 h): 030 30686700

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:  
Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Respiratory or skin sensitisation: Skin Sens. 1  
Hazardous to the aquatic environment: Aquatic Chronic 2  
Hazard Statements:  
Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Hazard components for labelling

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700)  
100 %

Signal word: Warning  
Pictograms: GHS07-GHS09



##### Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

### Systopp -Floorguard EP 1 (resin)

Print date: 19.03.2020

Product code: 43.900.100

Page 2 of 7

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.  
 P501 Dispose of contents/container to Dispose of contents/container to an appropriate recycling or disposal facility..

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Contains epoxy constituents with an average molecular weight of 700.

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
500-033-5	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight <= 700) 100 %	95 - <= 100 %
25068-38-6	Xi - Irritant, N - Dangerous for the environment R36/38-43-51-53	
603-074-00-8	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H319 H315 H317 H411	

Full text of R, H and EUH phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 Medical treatment necessary.

#### After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

**Systopp -Floorguard EP 1 (resin)**

Print date: 19.03.2020

Product code: 43.900.100

Page 3 of 7

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Occupational exposure controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

**Respiratory protection**

Work in well-ventilated zones or use proper respiratory protection.

**Hand protection**

Single-use gloves. NBR (Nitrile rubber).

Breakthrough times and swelling properties of the material must be taken into consideration.

**Eye protection**

Suitable eye protection: Tightly sealed safety glasses.

**Skin protection**

Suitable protective clothing: Single-use suit. Overall. Boots.

Only wear fitting, comfortable and clean protective clothing.

Take off immediately all contaminated clothing.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:

liquid

Colour:

characteristic

**Systopp -Floorguard EP 1 (resin)**

Print date: 19.03.2020

Product code: 43.900.100

Page 4 of 7

Odour: characteristic

**Test method****Changes in the physical state**

Initial boiling point and boiling range:	>200 °C
Flash point:	150 °C
Density (at 20 °C):	1,45 g/cm <sup>3</sup>
Water solubility:	insoluble

**9.2. Other information**

Solid content: 100 %

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No decomposition if stored and handled correctly.

**10.2. Chemical stability**

In case of warming: Polymerization.

**10.3. Possibility of hazardous reactions**

Reacts with : Alkalis (alkalis). Amines.

**10.4. Conditions to avoid**

Do not freeze.

**10.6. Hazardous decomposition products**

Carbon monoxide. Carbon dioxide. aldehydes.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

No information available.

**Specific effects in experiment on an animal**

No information available.

**Irritation and corrosivity**

Irritating to eyes. After skin contact: irritant.

**Sensitising effects**

May cause sensitization by skin contact.

**Additional information on tests**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**12.2. Persistence and degradability**

Product is biodegradable with difficulty.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Systopp -Floorguard EP 1 (resin)**

Print date: 19.03.2020

Product code: 43.900.100

Page 5 of 7

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

There are no data available on the mixture itself.

**12.6. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b><u>14.1. UN number:</u></b>	UN3082
<b><u>14.2. UN proper shipping name:</u></b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b><u>14.3. Transport hazard class(es):</u></b>	9
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 601
Limited quantity:	5 L
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E

**Other applicable information (land transport)**

E1

**Inland waterways transport (ADN)**

<b><u>14.1. UN number:</u></b>	UN3082
<b><u>14.2. UN proper shipping name:</u></b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b><u>14.3. Transport hazard class(es):</u></b>	9
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 601
Limited quantity:	5 L

**Other applicable information (inland waterways transport)**

E1

**Marine transport (IMDG)**

<b><u>14.1. UN number:</u></b>	UN3082
--------------------------------	--------

**Systopp -Floorguard EP 1 (resin)**

Print date: 19.03.2020

Product code: 43.900.100

Page 6 of 7

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.**14.3. Transport hazard class(es):** 9**14.4. Packing group:** III

Hazard label: 9

Special Provisions: 274, 335

Limited quantity: 5 L

EmS: F-A, S-F

**Other applicable information (marine transport)**

E1

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** UN3082**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.**14.3. Transport hazard class(es):** 9**14.4. Packing group:** III

Hazard label: 9

Special Provisions: A97 A158

Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 964

IATA-max. quantity - Passenger: 450 L

IATA-packing instructions - Cargo: 964

IATA-max. quantity - Cargo: 450 L

**Other applicable information (air transport)**

E1

Passenger-LQ: Y964

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 2 - clearly water contaminating

**15.2. Chemical safety assessment**

For this mixture a chemical safety assessment has been carried out.

**SECTION 16: Other information****Relevant R phrases (number and full text)**

- 36/38 Irritating to eyes and skin.
- 43 May cause sensitisation by skin contact.
- 51 Toxic to aquatic organisms.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 53 May cause long-term adverse effects in the aquatic environment.

**Relevant H and EUH statements (number and full text)**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Systopp -Floorguard EP 1 (resin)**

Print date: 19.03.2020

Product code: 43.900.100

Page 7 of 7

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*